Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 18, 2014

For the Period September 9 to 15, 2014

Improved weather has allowed many producers to return to the field but harvest is progressing slowly, according to Saskatchewan Agriculture's weekly Crop Report. Twenty-three per cent of the 2014 crop has been combined, well behind the five-year average (2009-2013) of 43 per cent at this time of year. Forty-three per cent of the crop is swathed or ready to straight-cut.

One year ago
Fifty-five per cent of the 2013 crop had been combined while 30 per cent was swathed or ready to be straight combined.
Follow the 2014 Crop Report on Twitter @SKAgriculture

Harvest is most advanced in the southwestern region where 31 per cent of the crop is now combined. Twenty-seven per cent is combined in the northeastern region; 26 per cent in the southeastern region; 24 per cent in the west-central region; 19 per cent in the northwestern region; and 11 per cent in the east-central region.

Saskatchewan Harvest September 15 % combined	
Winter wheat*	69
Fall rye**	86
Spring wheat	12
Durum	8
Oats*	13
Barley	19
Canaryseed	4
Flax	1
Canola	23
Mustard	28
Soybeans	0
Lentils	47
Peas***	76
Chickpeas	9

*includes three per cent 'other'
**includes 19 per cent 'other'
***includes one per cent 'other'

Disease and weather-related quality issues remain a concern in many areas. Of the crops that have been harvested so far, 71 per cent of the field peas are estimated to fall within the top two quality grades while 61 per cent of the lentils and 79 per cent of the durum is estimated to fall within the bottom two quality grades. While overall yields are reported to be about average, they vary from region to region.

Rainfall this past week ranged from trace amounts to 25 mm in the Fife Lake area. Topsoil moisture conditions on cropland are rated as 22 per cent surplus, 77 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 13 per cent surplus, 84 per cent adequate and three per cent short.

Harvest Progress in SK Per cent Combined All Crops	
Sept 15/14	23
5 year avg. (2009-2013)	43
Sept 16/13	55
Sept 10/12	56
Sept 12/11	60
Sept 13/10	14
Sept 14/09	32
10 year avg. (2004-2013)	44

Frost hit many areas across the province last week, with damage ranging from minimal to severe in some later-seeded crops. Hail and snow also caused damage in some southern areas.
Farmers are busy with harvest operations.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Favourable weather has allowed many producers to return to harvest operations. Twenty-six per cent of the crop is now in the bin, up from 15 per cent last week. Thirty-five per cent is swathed or ready to straight-cut. Forty-three per cent of the crop is combined in Crop District 2A; 35 per cent in 3ASE; 22 per cent in 1A; 20 per cent in 2B and 17 per cent in 1B.

Although average yields are being reported overall, quality remains an issue in much of the area due to sprouting, bleaching and disease damage. Forty-one per cent of the field peas are expected to fall into the 2CAN grade, 46 per cent in 3CAN and 13 per cent as sample. One per cent of the lentils are expected to grade 1CAN, 15 per cent 2CAN, 77 per cent 3CAN and seven per cent sample. Fifteen per cent of the durum is expected to grade 2CWAD, 54 per cent 3CWAD and 31 per cent 4 and 5 CWAD.

Small amounts of precipitation fell in most of the region earlier in the week, with the Briercrest and Moose Jaw areas reporting 21 mm. The Moosomin area has received the greatest amount of rainfall since April 1 for both the region and the province (886 mm). Topsoil moisture conditions on cropland are rated as 40 per cent surplus and 60 per cent adequate. Hay land and pasture moisture is rated as 18 per cent surplus, 78 per cent adequate and four per cent short. Many fields are very wet and equipment is getting stuck multiple times a day.

Localized flooding, hail and wind along with waterfowl caused some damage this week. Frost was reported with temperatures dipping down to as low as -4C; many later-seeded crops and alfalfa fields suffered damage ranging from minimal to severe. Some immature soybean and corn fields were severely damaged as well. Some producers have been able to seed winter cereals but many intended acres will not get seeded this year due to the late harvest and wet fields.

Farmers are busy harvesting and hauling bales.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Some harvest progress was made this past week, although many operations were at a standstill due to very wet fields and snow in some areas. Thirty-one per cent of the crop is now combined, up from 23 per cent last week. An additional 30 per cent is swathed or ready to straight-cut. Thirty-nine per cent of the crop is combined in Crop District 3BN; 34 per cent in 4B; 33 per cent in 4A; 29 per cent in 3BS; 24 per cent in 3AN and 18 per cent in 3ASW.

Although average yields are being reported overall, quality remains an issue in much of the area due to sprouting, bleaching, disease and insect damage. Twenty-four per cent of the field peas are expected to fall in the 1CAN grade, 42 per cent in 2CAN, 24 per cent in 3CAN and 10 per cent as sample. Eight per cent of the lentils are expected to grade 1CAN, 26 per cent 2CAN, 44 per cent 3CAN and 22 per cent sample. Six per cent of the durum is expected to grade 1CWAD, 23 per cent 2CWAD, 37 per cent 3CWAD and 34 per cent 4 and 5 CWAD.

Rainfall this week ranged from small amounts to 25 mm in the Fife Lake area. Since April 1, the Cadillac area has received 583 mm of rain, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 26 per cent surplus and 74 per cent adequate. Hay land and pasture moisture is rated as 14 per cent surplus, 85 per cent adequate and one per cent short. There are many reports of stuck equipment and trucks unable to park in fields.

Localized flooding and hail as well as waterfowl have damaged some crops. Frost was reported across the region with temperatures dipping as low as -4C; many later-seeded crops suffered minimal to severe damage. There are some reports of frost severely damaging soybeans as well. Some producers have been able to seed winter cereals but many intended acres will not get seeded this year due to the late harvest and wet fields.

Farmers are busy harvesting and trying to seed winter cereals.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Harvest continues to be delayed in the region and many crops are coming off tough. Eleven per cent of the crop is now in the bin, up from six per cent last week. An additional 48 per cent is swathed or ready to straight-cut. Harvest is most advanced in Crop District 6A where 15 per cent of the crop is combined. CD 5A has nine per cent combined and 5B has seven per cent combined.

Average yields are being reported in much of the region, although there are many quality concerns due to bleaching, sprouting and disease damage. There are reports of higher-than-normal green counts in some canola crops. Seven per cent of the field peas are expected to fall in the 1CAN grade, 60 per cent in 2CAN, 26 per cent in 3CAN and seven per cent as sample. Fifty-eight per cent of the lentils are expected to grade 2CAN and 42 per cent 3CAN. Five per cent of the durum is expected to grade 2CWAD, 60 per cent 3CWAD and 35 per cent 4 and 5 CWAD.

Localized flooding and strong winds have lodged many crops in the area. Rainfall ranged from trace amounts to 21 mm in the Bethune area. Since April 1, the Foam Lake area has reported 725 mm of rainfall, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 36 per cent surplus and 64 per cent adequate. Hay land and pasture moisture is rated as 26 per cent surplus, 71 per cent adequate and three per cent short.

There are reports of temperatures dipping as low as -4C and damaging crops that were behind normal development; however, most areas only received light frost. Wet fields are not able to support equipment and many combines are getting stuck.

Farmers are busy with harvest operations and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest progress in the west-central region was slow this week due to wet fields and scattered showers. Twenty-four per cent of the crop is now in the bin, up from 16 per cent last week. An additional 43 per cent is swathed or ready to straight-cut. Twenty-five per cent of crops in CDs 6B and 7B and 23 per cent of crops in 7A have now been combined.

Although average yields are being reported overall, quality remains an issue in much of the area due to sprouting, bleaching, disease and insect damage. There are reports of lower-than-expected yields in some areas as well. Twenty-one per cent of the field peas are expected to fall in the 1CAN grade, 63 per cent in 2CAN, 14 per cent in 3CAN and two per cent as sample. Twelve per cent of the lentils are expected to grade 1CAN, 46 per cent 2CAN, 36 per cent 3CAN and six per cent sample. Two per cent of the durum is expected to grade 1CWAD, 16 per cent 2CWAD, 57 per cent 3CWAD and 25 per cent 4 and 5 CWAD.

Rainfall ranged from trace amounts to 14 mm in the Kindersley area. Since April 1, the Major area has received the greatest amount of cumulative rainfall (436 mm). Topsoil moisture conditions on cropland are rated as two per cent surplus, 96 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 94 per cent adequate and five per cent short.

Wildlife and waterfowl have caused some damage this week along with frost. Temperatures reportedly dipped down as low as -6C, damaging later-seeded and immature crops. Fields are very wet and unable to support equipment in some areas.

Farmers are busy harvesting and hauling bales.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

The northeastern region has made great progress this week, with 27 per cent of the crop combined. This is up from eleven per cent last week. An additional 59 per cent is

swathed or ready to straight-cut. Forty-two per cent of the crop is combined in Crop District 8A; 18 per cent in 9AE and 17 per cent in 8B.

Yields are reported as average overall and quality is a concern in much of the region. Twenty-one per cent of the field peas are expected to fall into the 1CAN grade, 65 per cent in 2CAN and 14 per cent in 3CAN. Forty per cent of the lentils are expected to grade 1CAN, 10 per cent 2CAN and 50 per cent sample. One hundred per cent of the durum is expected to grade as 4 and 5 CWAD.

The Arborfield area reported 12 mm of rain this past week, while the Lake Lenore area has reported 500 mm of rainfall since April 1, the greatest for the region. Topsoil moisture conditions on cropland are rated as two per cent surplus and 98 per cent adequate. Hay land and pasture topsoil moisture is rated as 100 per cent adequate.

Frost was the major cause of crop damage this past week with later-seeded crop being injured by temperatures as low as -3C. Much of the soybean crop was damaged as it is far behind normal development.

Farmers are busy harvesting, moving cattle and hauling bales.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Harvest continues in the region thanks to dry weather conditions. Nineteen per cent of the crop is now combined, up from 10 per cent last week. An additional 57 per cent is swathed or ready to straight-cut. Twenty per cent of the crop is combined in CD 9B, while 9AW has 19 per cent of the crop combined.

Yields so far have been average overall, but there are many reports of seed damage caused by sprouting, bleaching, wheat midge and frost. Much of the grain is coming off tough and many producers are using aeration. Twenty-four per cent of the field peas are expected to fall into the 1CAN grade, 70 per cent in 2CAN and six per cent in 3CAN.

The Neilburg area received the greatest amount of rain this past week (1 mm), while the Hafford area has received 490 mm since April 1. Topsoil moisture conditions on cropland are rated as seven per cent surplus, 90 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 94 per cent adequate and six per cent short.

Temperatures dipped as low as -5C in some areas, although most of the region received only light frost over multiple nights. Some later-seeded and immature crops are damaged. Wind and waterfowl also caused some damage this week.

Farmers are busy harvesting and moving cattle.

Saskatchewan Harvest Progress - September 15, 2014

***Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed**

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	13	3	13	71	0
southwest	7	0	27	56	10
east central	5	4	26	65	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	**8**	**2**	**21**	**66**	**3**
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	6	19	9	65	1
southwest	1	3	3	65	28
east central	1	1	28	70	0
west central	0	1	2	97	0
northeast	50	40	0	10	0
northwest	0	0	0	100	0
provincial	**3**	**6**	**5**	**67**	**19**
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	46	10	32	12	
southwest	61	1	30	8	
east central	60	18	16	6	
west central	44	11	34	11	
northeast	10	18	46	26	
northwest	32	17	39	12	
provincial	**44**	**13**	**31**	**12**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	61	3	30	6	
southwest	55	2	32	11	
east central	67	20	12	1	
west central	76	3	17	4	
northeast	44	28	19	9	
northwest	30	60	10	0	
provincial	**60**	**3**	**29**	**8**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	50	13	23	14	
southwest	36	2	28	34	
east central	55	22	11	12	
west central	52	11	22	15	
northeast	14	26	29	31	
northwest	59	26	9	6	
provincial	**44**	**18**	**19**	**19**	

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	65	15	0	19	1
southwest	34	7	32	14	13
east central	68	19	5	6	2
west central	58	17	5	10	10
northeast	47	11	26	15	1
northwest	54	17	21	5	3
provincial	**57**	**15**	**14**	**11**	**3**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	91	0	4	5	
southwest	93	1	1	5	
east central	100	0	0	0	
west central	88	6	5	1	
northeast	48	2	31	19	
northwest	100	0	0	0	
provincial	**86**	**3**	**7**	**4**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	90	1	7	2	
southwest	86	1	12	1	
east central	100	0	0	0	
west central	96	4	0	0	
northeast	96	2	2	0	
northwest	100	0	0	0	
provincial	**92**	**1**	**6**	**1**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	11	56	1	32	
southwest	15	46	7	32	
east central	15	72	4	9	
west central	8	61	2	29	
northeast	3	66	4	27	
northwest	6	75	0	19	
provincial	**10**	**64**	**3**	**23**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	52	4	10	34	
southwest	36	5	24	35	
east central	57	31	10	2	
west central	46	15	23	16	
northeast	53	7	22	18	
northwest	N/A	N/A	NA	N/A	
provincial	**41**	**9**	**22**	**28**	

Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	100	0	0	0	
southwest	100	0	0	0	
east central	100	0	0	0	
west central	100	0	0	0	
northeast	100	0	0	0	
northwest	N/A	N/A	N/A	N/A	
provincial	**100**	**0**	**0**	**0**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	9	2	9	79	1
southwest	11	0	12	76	1
east central	8	9	20	63	0
west central	4	0	16	76	4
northeast	6	1	4	89	0
northwest	8	1	10	81	0
provincial	**8**	**2**	**13**	**76**	**1**
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	26	3	8	63	
southwest	18	6	21	55	
east central	23	3	53	21	
west central	20	4	46	30	
northeast	50	2	5	43	
northwest	50	0	0	50	
provincial	**20**	**5**	**28**	**47**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	85	0	0	15	
southwest	90	0	3	7	
east central	N/A	N/A	N/A	N/A	
west central	62	0	13	25	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**89**	**0**	**2**	**9**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

for the week ending September 15, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 17, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 9 to 15, 2014

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	379
	3	Enniskillen	5	330
	33	Moose Creek	5	411
	34	Browning	N/A	425
	61	Antler	N/A	575
	63	Moose Mountain	4	556
	64	Brock	8	449
	65	Tecumseh	N/A	592
1B	91	Maryfield	5	633
	122	Martin	12	886
	123	Silverwood	N/A	482
	124	Kingsley	7	489
	125 A	Chester	6	523
	125 B	Chester	0	539
	151 A	Rocanville	5	587
	151 B	Rocanville	N/A	534
	154	Elcapo	14	532
	155 A	Wolseley	3	428
	155 B	Wolseley	N/A	378
	67	Weyburn	N/A	378
2A	68	Brokenshell	13	364
	97	Wellington	10	336
2B	127 A	Francis	6	466
	127 B	Francis	10	392.1
	129	Bratt's Lake	12	352
	131 A	Baildon	21	462
	131 B	Baildon	N/A	622.2
	156 A	Indian Head	5	504.5
	156 B	Indian Head	8	577.5
	157	South Qu'Appelle	16	572
	160 A	Pense	12	438
	160 B	Pense	N/A	75
	161	Moose Jaw	20	597
	162	Caron	21	560
	191	Marquis	2	539
3ASE	38 A	Laurier	22	493.9
	38 B	Laurier	5	416
	39 A	The Gap	15	353
	39 B	The Gap	18	436
3ASW	10	Happy Valley	16	386
	12	Poplar Valley	25	402
	40 A	Bengough	23	358
	40 B	Bengough	20	502
	42	Willow Bunch	23	375
	43	Old Post	18	356
	70	Key West	N/A	157.6
	73 A	Stonehenge	17.8	401.1
	73 B	Stonehenge	N/A	438
	74	Wood River	N/A	200.5
3AN	101	Terrell	18	404
	102	Lake Johnston	1.5	337.9
	103	Sutton	18	393
	132 A	Hillsborough	10.5	395
	132 B	Hillsborough	21	484
	134	Shamrock	8	367
	193 A	Eyebrow	2	473
	193 B	Eyebrow	5	497
	224	Maple Bush	N/A	382
3BS	17	Val Marie	NIL	583
	75 A	Pinto Creek	18	390
	75 B	Pinto Creek	N/A	347
	76	Auvergne	14	386
	77	Wise Creek	13	537
	78	Grassy Creek	17	450
	105	Glenbain	24	380
	106	Whiska Creek	22	529
	107	Lac Pelletier	N/A	294
	108	Bone Creek	3	410
3BN	137	Swift Current	N/A	41.6
	138 A	Webb	14	416.5
	138 B	Webb	N/A	420.5
	166	Excelsior	2	372
	167	Sask. Landing	17	446.5
	168 A	Riverside	4	407
	168 B	Riverside	17.5	354.5
	226	Victory	N/A	343
	228	Lacadena	10	330
	257	Monet	NIL	244.6

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	327
	51	Reno	15.7	298.1
	79	Arlington	17	455
	109 A	Carmichael	24	396
	109 B	Carmichael	N/A	269
	110	Piapot	NIL	332
	111	Maple Creek	N/A	253.5
4B	139	Gull Lake	4	386
	141	Big Stick	3	289
	142	Enterprise	3	358
	169	Pittville	N/A	162
	231	Happyland	4	298
5A	183 A	Fertile Belt	2	482
	183 B	Fertile Belt	9	522
	186	Abernethy	N/A	520
	211	Churchbridge	4	478
	213	Saltcoats	5	519
	216	Tullymet	N/A	387.5
	241	Calder	11	438
	243	Wallace	N/A	450
	244	Orkney	N/A	552
	245 A	Garry	N/A	452
	245 B	Garry	8	534
	245 C	Garry	5	569.5
	246	Ituna Bon Accord	N/A	521
	247	Kellross	1	494
	248	Touchwood	5	497
5B	271	Cote	3	477
	273	Sliding Hills	N/A	651
	277	Emerald	3	725
	305	Invermay	NIL	541
	307	Elfros	NIL	528
	308 A	Big Quill	3	430
	308 B	Big Quill	N/A	320
	331	Livingston	11	449
	334	Preeceville	N/A	112
	336	Sasman	1	435
	337	Lakeview	1	417
	338	Lakeside	4	473
	366	Kelvington	1	426
	367	Ponass Lake	2.5	468.5
6A	190 A	Dufferin	21	722
	190 B	Dufferin	10	677
	190 C	Dufferin	18	500
	190 D	Dufferin	10	285.5
	219	Longlaketon	10	522
	220	Mckillop	6	635
	221	Sarnia	3.9	570.8
	222	Craik	2	475
	251	Big Arm	8	554
	252	Arm River	4	518
	279	Mount Hope	4	507
	282	McCraney	3	418
	309	Prairie Rose	5	578
	310	Usborne	N/A	166.5
	312	Morris	N/A	127
	313	Lost River	N/A	425
	339	Leroy	3	528.4
	340	Wolverine	7	408
	341	Viscount	N/A	369
	343 A	Blucher	NIL	357.9
	343 B	Blucher	N/A	210
6B	254	Lorebum	12	361
	284	Rudy	10	423
	285	Fertile Valley	1	299
	286	Milden	N/A	351
	314	Dundurn	1	363
	344	Corman Park	NIL	375
	346	Perdue	N/A	373
	376	Eagle Creek	NIL	422
	403	Rosthern	NIL	339

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	N/A	414
	288	Pleasant Valley	1	402
	290 A	Kindersley	1	281
	290 B	Kindersley	N/A	185.3
	290 C	Kindersley	2	266.2
	292	Milton	N/A	330
	317 A	Marriott	N/A	205
	317 B	Marriott	NIL	352
	318	Mountain View	NIL	394
	320 A	Oakdale	14	345.1
	320 B	Oakdale	3	373
	321	Prairiedale	N/A	351
7B	347	Biggar	NIL	384
	350 A	Mariposa	NIL	309.6
	350 B	Mariposa	1	435
	351	Progress	5	375
	352	Heart's Hill	NIL	436
	377	Glenside	1	435
	378 A	Rosemount	1	308
	378 B	Rosemount	1	349
	379	Reford	1	403
	381	Grass Lake	N/A	355
	382	Eye Hill	N/A	335.3
	409	Buffalo	N/A	335
	410	Round Valley	NIL	369.9
8A	395	Porcupine	N/A	332
	397	Barrier Valley	N/A	404.9
	428	Star City	2	435
	456	Arborfield	12	449
	457	Connaught	N/A	380
	486	Moose Range	N/A	320
	487	Nipawin	N/A	262
8B	369	St. Peter	N/A	397
	370 A	Humboldt	5	462
	370 B	Humboldt	4	463
	371	Bayne	5	405
	372	Grant	4.2	414.1
	400	Three Lakes	4	500
	402	Fish Creek	2	417
	429	Flett's Springs	2	373
	459	Kinistino	N/A	413
	460	Birch Hills	3.2	408.8
9AE	488	Torch River	3	360
	491	Buckland	N/A	474
9AW	406	Mayfield	NIL	358
	435	Redberry	NIL	490
	436	Douglas	NIL	410
	463	Duck Lake	NIL	472.9
	467 A	Round Hill	N/A	515
9B	467 B	Round Hill	NIL	320
	438	Battle River	NIL	302
	440	Hillsdale	NIL	400
	442	Manitou Lake	1	311.1
	498 A	Parkdale	NIL	381
	498 B	Parkdale	N/A	302
	499	Mervin	NIL	246
	501 A	Frenchman Butte	NIL	353
	501 B	Frenchman Butte	NIL	294
	501 C	Frenchman Butte	NIL	361
	502	Britannia	NIL	278.5
	561	Loon Lake	NIL	352
	588 A	Meadow Lake	NIL	363
	588 B	Meadow Lake	NIL	428
	588 C	Meadow Lake	NIL	413
	588 D	Meadow Lake	N/A	389.2
	622	Beaver River	N/A	302.7

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2014
To: September 15, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 17, 2014

© 2014 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 16, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 17, 2014

© 2014 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 16, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 17, 2014

© 2014 Government of Saskatchewan